

# NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI010140  
DATE: 03/01/2010  
CERTIFICATION PROGRAM: Structural  
COMPANY: Weber  
CODE: 1517-1

The "Notice of Product Certification" is valid only when Administrator's Seal is applied to the upper left hand portion of this form and a certification label is applied to the product. This certification seal represents product conformity to the applicable specification and that all certification criteria has been satisfied.

The product described below is approved for listing in the next published issue of the Directory of Certified Products at [www.NAMICertification.com](http://www.NAMICertification.com). Please review, and advise NAMI immediately if data, as shown, requires corrections.

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
<b>Weber Manufacturing Technologies, Inc.</b> <b>DBA Mastergrain</b> <b>16566 Highway 12</b> <b>Midland, ONT L4R 4L1</b>	<b>Glazed Fiberglass</b> <b>In-Swing Side Hinged Door</b> <b>w/Sidelites</b>  Configuration: OXXO Glazing: IG-1/8" Tempered Glass Frame: W-2924mm(115.1")H-2076mm(81.75") Panel: W-908mm(35.75") H-2013mm(79.25") Sidelite: W-484mm(19.06") H-2013mm(79.25")

SPECIFICATION	PRODUCT RATING
<b>AAMA/WDMA/101/I.S.2/A440-05</b> <b>ASTM E283-04/E330-02/E331-00/E547-00</b>	<b>LW SHD-R55 2924 x 2076 (115 x 82)</b> <b>Design Pressure: +55/-60 psf</b> <b>Qualifies Configurations:</b> <b>X/O/XO/OX/XX/OXO/OXXO</b>

Product Tested By: Testing Evaluation Laboratories, Inc.  
Report No: TEL 01680215  
Expiration Date: December 31, 2013

Administrator's Signature: \_\_\_\_\_

**NATIONAL ACCREDITATION AND  
MANAGEMENT INSTITUTE, INC.**  
4794 George Washington Memorial Highway  
Hayes, VA 23072  
Tel: (804) 684-5124  
Fax: (804) 684-5122

# NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI010137  
DATE: 03/01/2010  
CERTIFICATION PROGRAM: Structural  
COMPANY: Weber  
CODE: 1517-1

The "Notice of Product Certification" is valid only when Administrator's Seal is applied to the upper left hand portion of this form and a certification label is applied to the product. This certification seal represents product conformity to the applicable specification and that all certification criteria has been satisfied.

The product described below is approved for listing in the next published issue of the Directory of Certified Products at [www.NAMICertification.com](http://www.NAMICertification.com). Please review, and advise NAMI immediately if data, as shown, requires corrections.

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
<b>Weber Manufacturing Technologies, Inc.</b> <b>DBA Mastergrain</b> <b>16566 Highway 12</b> <b>Midland, ONT L4R 4L1</b>	<b>Opaque Fiberglass</b> <b>In-Swing Side Hinged Door</b> <b>w/Sidelites</b>  Configuration: OXO Glazing: IG-1/8" Tempered Glass Frame: W-1997mm(78.63")H-2489mm(98") Panel: W-908mm(35.7") H-2419mm(95.25") Sidelite: W-484mm(19.06") H-2419mm(95.25")

SPECIFICATION	PRODUCT RATING
<b>AAMA/WDMA/101/I.S.2/A440-05</b> <b>ASTM E283-04/E330-02/E331-00/E547-00</b>	<b>LW SHD-R55 1997 x 2489 (79 x 98)</b> <b>Design Pressure: +55/-60 psf</b> <b>Qualifies Configurations: X/O/XO/OX/OXO</b>

Product Tested By: Testing Evaluation Laboratories, Inc.  
Report No: TEL 01680214  
Expiration Date: **December 31, 2013**

Administrator's Signature: \_\_\_\_\_

**NATIONAL ACCREDITATION AND  
MANAGEMENT INSTITUTE, INC.**  
4794 George Washington Memorial Highway  
Hayes, VA 23072  
Tel: (804) 684-5124  
Fax: (804) 684-5122

# NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI010138  
DATE: 03/01/2010  
CERTIFICATION PROGRAM: Structural  
COMPANY: Weber  
CODE: 1517-1

The "Notice of Product Certification" is valid only when Administrator's Seal is applied to the upper left hand portion of this form and a certification label is applied to the product. This certification seal represents product conformity to the applicable specification and that all certification criteria has been satisfied.

The product described below is approved for listing in the next published issue of the Directory of Certified Products at [www.NAMICertification.com](http://www.NAMICertification.com). Please review, and advise NAMI immediately if data, as shown, requires corrections.

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
<b>Weber Manufacturing Technologies, Inc.</b> <b>DBA Mastergrain</b> <b>16566 Highway 12</b> <b>Midland, ONT L4R 4L1</b>	<b>Glazed Fiberglass</b> <b>In-Swing Side Hinged Door</b> <b>w/Sidelites</b>  Configuration: OXO Glazing: IG-1/8" Tempered Glass Frame: W-1997mm(78.63")H-2489mm(98") Panel: W-908mm(35.7") H-2419mm(95.25") Sidelite: W-484mm(19.06") H-2419mm(95.25")

SPECIFICATION	PRODUCT RATING
<b>AAMA/WDMA/101/I.S.2/A440-05</b> <b>ASTM E283-04/E330-02/E331-00/E547-00</b>	<b>LW SHD-R40 1997 x 2489 (79 x 98)</b> <b>Design Pressure: +40/-45 psf</b> <b>Qualifies Configurations: X/O/XO/OX/OXO</b>

Product Tested By: Testing Evaluation Laboratories, Inc.  
Report No: TEL 01680199  
Expiration Date: **November 30, 2013**

Administrator's Signature: \_\_\_\_\_

**NATIONAL ACCREDITATION AND  
MANAGEMENT INSTITUTE, INC.**

4794 George Washington Memorial Highway

Hayes, VA 23072

Tel: (804) 684-5124

Fax: (804) 684-5122

# NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI010139  
DATE: 03/01/2010  
CERTIFICATION PROGRAM: Structural  
COMPANY: Weber  
CODE: 1517-1

The "Notice of Product Certification" is valid only when Administrator's Seal is applied to the upper left hand portion of this form and a certification label is applied to the product. This certification seal represents product conformity to the applicable specification and that all certification criteria has been satisfied.

The product described below is approved for listing in the next published issue of the Directory of Certified Products at [www.NAMICertification.com](http://www.NAMICertification.com). Please review, and advise NAMI immediately if data, as shown, requires corrections.

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
<b>Weber Manufacturing Technologies, Inc.</b> <b>DBA Mastergrain</b> <b>16566 Highway 12</b> <b>Midland, ONT L4R 4L1</b>	<b>Glazed Fiberglass</b> <b>In-Swing Side Hinged Door</b> <b>w/Sidelites</b>  Configuration: OXXO Glazing: IG-1/8" Tempered Glass  Frame: W-2924mm(115.1")H-2489mm(98") Panel: W-908mm(35.75") H-2419mm(95.25") Sidelite: W-484mm(19.06") H-2419mm(95.25")

SPECIFICATION	PRODUCT RATING
<b>AAMA/WDMA/101/I.S.2/A440-05</b> <b>ASTM E283-04/E330-02/E331-00/E547-00</b>	<b>LW SHD-R45 2924 x 2489 (115 x 98)</b> <b>Design Pressure: +45/-45 psf</b> <b>Qualifies Configurations:</b> <b>X/O/XO/OX/XX/OXO/OXXO</b>

Product Tested By: Testing Evaluation Laboratories, Inc.

Report No: TEL 01680198

Expiration Date: November 30, 2013

Administrator's Signature: \_\_\_\_\_

**NATIONAL ACCREDITATION AND  
MANAGEMENT INSTITUTE, INC.**

4794 George Washington Memorial Highway

Hayes, VA 23072

Tel: (804) 684-5124

Fax: (804) 684-5122